



# **THEATRUS SERIES**

**CUSTOM INSTALL STUDIO/MONITOR**

---



## THEATRUS™ Speakers

· AMT Ribbon Tweeter · 50mm Softdome Midrange · 6.5" / 8" Curv Cone Woofers · Acoustic Adjustment

Roll out the red carpet for the newest addition to the Aperion family - Theatrus - coming to a home theater near you! Theatrus brings home the full-sized Cinematic experience, engineered to perfection to produce impressive volume levels, without compromising high-resolution sound quality. Also designed for professional music studios and film production facilities, the Theatrus speakers are the evolution and next generation of Aperion engineering. The Theatrus line features the Aperion AMT Ribbon Tweeter, Dual Soft-Dome Mid-Range Drivers, and Dual Curv™ Woofers all linked to a high-efficiency crossover network. Tailor the sound to your space with the speakers rear frequency adjustments for installation and placement behind screens - then relax, sit back and enjoy the show.

- Air Motion Tweeter
- Dual 2" Soft-Dome Midrange Drivers
- Dual 8" Curv Woofers
- Sound Adjustments
- Wall Mountable
- Lightweight Magnetic Grille
- Custom Tuned Cabinet
- Magnetic Rotatable Logo

## AVAILABLE COLORS

MATTE BLACK



## T80

Type:	3 Way Dual 8" Main Speaker
Tweeter:	1 x AMT Tweeter
Midrange:	2 x 2" Soft-Dome Midrange
Woofer:	2 x 8" Curv® Cone Woofers
Frequency Response:	30-35000 Hz
Impedance:	4 ohm
Sensitivity(2.83V/1M):	94 dB
Power Handling:	700W Short Term 350W Long Term
Product Dimensions:	19.7" H x 15.7" W x 11.8" D 500mm H x 400mm W x 300mm D
Product Weight:	50 lbs/21.3 Kg



## T80S

Type:	3 Way Dual 8" Slim Speaker
Tweeter:	1 x AMT Tweeter
Midrange:	2 x 2" Soft-Dome Midrange
Woofer:	2 x 8" Curv Cone Woofers
Frequency Response:	60-35000 Hz
Impedance:	4 ohm
Sensitivity:	94 dB
Power Handling:	700W Short Term 350W Long Term
Product Dimensions:	19.7" H x 15.7" W x 5" D 500mm H x 400mm W x 130mm D
Product Weight:	28.7 lbs/13 Kg

#### AVAILABLE COLORS

MATTE BLACK



## T65

Type:	3 Way Dual 6.5" Main Speaker
Tweeter:	1 x AMT Tweeter
Midrange:	2 x 2" Soft-Dome Midrange
Woofer:	2 x 6.5" Curv® Cone Woofers
Frequency Response:	35-35000 Hz
Impedance:	4 ohm
Sensitivity(2.83V/1M):	94 dB
Power Handling:	500W Short Term 250W Long Term
Product Dimensions:	17" H x 14" W x 8.7" D 430mm H x 360mm W x 220mm D
Product Weight:	33 lbs/ 15 Kg

## T65S

Type:	3 Way 5 drivers Sealed box
Tweeter:	1 x AMT Tweeter
Midrange:	2 x 2" Soft-Dome Midrange
Woofer:	2 x 6.5" Curv® Cone Woofers
Frequency Response:	65-35000 Hz
Impedance:	4 ohm
Sensitivity(2.83V/1M):	94 dB
Power Handling:	500W Short Term 250W Long Term
Product Dimensions:	17" H x 14" W x 4.3" D 430mm H x 360mm W x 110mm D
Product Weight:	26.5 lbs/ 12 Kg

#### AVAILABLE COLORS

MATTE BLACK



## TC65

Type:	2 Way 6.5" Surround Speaker
Tweeter:	1 x AMT Tweeter
Midrange:	None
Woofer:	1 x 6.5" Curv® Cone Woofer
Frequency Response:	80-35000 Hz
Impedance:	4 ohm
Sensitivity(2.83V/1M):	88 dB
Power Handling:	200W Short Term 100W Long Term
Product Dimensions:	12" H x 7.9" W x 6.7"/3.1" D 305mm H x 200mm W x (170x80)mm D
Product Weight:	11 lbs/ 5 Kg each

## TS15

Type:	Single 15" Passive Subwoofer
Tweeter:	-
Midrange:	-
Woofer:	1x 15" Long-Throw Paper Cone Woofer
Frequency Response:	18-400 Hz (Depend on the AMP)
Impedance:	4 ohm
Sensitivity(2.83V/1M):	88 dB 1m 1w / 121 dB 1m 1000w
Power Handling:	750W Short Term 1500W Long Term
Product Dimensions:	19.7" H x 19.7" W x 15.7" D 500mm H x 500mm W x 400mm D
Product Weight:	66 lbs/ 30 Kg



#### AVAILABLE COLORS

MATTE BLACK



## T80W

Type:	3 Way Dual 8" In-Wall Speaker
Tweeter:	1 x AMT Tweeter
Midrange:	2 x 2" Soft-Dome Midrange
Woofer:	2 x 8" Curv® Cone Woofers
Frequency Response:	60-35000 Hz
Impedance:	4 ohm
Sensitivity(2.83V/1M):	94 dB
Power Handling:	350W Short Term 700W Long Term
Product Dimensions:	21" H x 17.3" W x 5.2" D 540mm H x 440mm W x 132mm D
Product Weight:	40 lbs/18.2 Kg
Cut-out Dimensions:	20" H x 16" W x 5.1" D 506mm H x 406mm W x 130mm D

## T65W

Type:	3 Way Dual 6.5" In-Wall Speaker
Tweeter:	1 x AMT Tweeter
Midrange:	2 x 2" Soft-Dome Midrange
Woofer:	2x 6.5" Curv Cone Woofers
Frequency Response:	65-35000 Hz
Impedance:	4 ohm
Sensitivity:	94 dB
Power Handling:	500W Short Term 250W Long Term
Product Dimensions:	19" H x 16" W x 4.5" D 470mm H x 400mm W x 112mm D
Product Weight:	31 lbs/14.2 Kg
Cut-out Dimensions:	17.2" H x 13.3" W x 4.3" D 436mm H x 336mm W x 110mm D

## AVAILABLE COLORS

MATTE BLACK



## T83W

Type:	3 Way Single 8" In-Wall Speaker
Tweeter:	1 x AMT Tweeter
Midrange:	1 x 2" Soft-Dome Midrange
Woofer:	1 x 8" Curv Cone Woofer
Frequency Response:	60-35000 Hz
Impedance:	4 ohm
Sensitivity(2.83V/1M):	91 dB
Power Handling:	400W Short Term 200W Long Term
Product Dimensions:	22" H x 12.6" W x 5.2" D 560mm H x 320mm W x 132mm D
Product Weight:	28 lbs/12.9 Kg
Cut-out Dimensions:	21" H x 11.3" W x 5.2" D 526mm H x 286mm W x 130mm D

## T63W

Type:	3 Way Single 6.5" In-Wall Speaker
Tweeter:	1 x AMT Tweeter
Midrange:	1 x 2" Soft-Dome Midrange
Woofer:	1 x 6.5" Curv Cone Woofer
Frequency Response:	70-35000 Hz
Impedance:	4 ohm
Sensitivity:	91 dB
Power Handling:	300W Short Term 150W Long Term
Product Dimensions:	20" H x 10.3" W x 4.5" D 500mm H x 260mm W x 112mm D
Product Weight:	20.5 lbs/9.3 Kg
Cut-out Dimensions:	18.3" H x 9" W x 4.4" D 466mm H x 226mm W x 110mm D